CERTIFICATE OF APPROVAL OF SERVICE SUPPLIER

No. : HDOLS-0073-26

This is to certify that

PT. GLOBAL MARINEDO SAFETY INDONESIA

Address : PERGUDANGAN CIPTA GRAND CITY BLOK L NO. 5, KELURAHAN SUNGAI BINTI, SAGULUNG – KOTA BATAM, INDONESIA

is approved as a service supplier to provide the following service under Guidance for Approval of Service Suppliers and the relevant requirement of the society rule.

Scope of service

The servicing Inflatable liferafts, Inflatable lifejackets, Hydrostatic release units Maintenance, thorough examination, operational testing, overhaul and repair of Lifeboats, Rescue boats, Launching appliances, Release gear

This certificate is valid until **2029.07.19**

Issued at **Busan** on **2026.08.18**

See the appendix for details regarding manufacturer authorizations, etc

This certificate is signed electronically in accordance with IMO FAL.5/Circ.39/Rev.2. Validation and authentication of the certificate can be confirmed from "http://e-cert.krs.co.kr" by using the tracking No(ME26043887560) and certificate No.(HDOLS007326).

KOREAN REGISTER

General Manager of Survey Team

TERMS AND CONDITIONS

A. The Responsibility and Duty of the Registered Company

(1) The operator who carries out the service shall possess the appropriate license issued by the Government or have equivalent qualifications.
(2) The registered company shall be responsible for ensuring the safety of the operator from any danger which can arise during operation.
(3) The registered company shall check the equipment to ensure the proper functioning of the equipment before operation.
(4) The registered company, if necessary, shall have the equipment calibrated by authorized organizations in order to maintain the required accuracy within the period prescribed in the standard, and have the contents recorded and maintained.
(5) The registered company shall keep a copy of the service report submitted to this Society and applicant for at least 5 years.
(6) The registered company shall notify this society immediately of any alterations of the condition at the time of the approval, including changes of staff and of any entries on this certificate.

B. Confidentiality

The detail information acquired during the job shall not be disclosed or released to third party without permission of the applicant or this Society.

C. Scope and Limitation

The extent of engagement is limited to the scope stated on this Certificate unless attached otherwise.

D. Renewal of the Approval

Renewal audit should be carried out within 3 months before the expiry date of Certificate. However, the validity of new Certificate will be started from the next day of expiry date of previous Certificate.

E. Cancellation of Approval

The approval may be cancelled in cases:
(1) Where the service provided is improperly carried out or the results are improperly reported.
(2) Where the Society's surveyor has found major deviations in the operating system of the firm.
(3) Where the supplier fails to inform of any alteration to the operation system to this Society.
(4) Where occasional audit, when deemed necessary by this Society, has not been carried out.
(5) Where wilful acts or omissions are ascertained.
(6) Where the approval fees are not paid.

APPENDIX I

No. : HDOLS-0073-26

This service supplier has been certified or licensed to service the particular makes and models of equipment listed in the appendix.

A. Manufacturer(s) of Inflatable Liferafts
- SHANGHAI YOULONG RUBBER PRODUCTS CO., LTD.
- JIANGSU HAINING MARINE EQUIPMENT CO., LTD.
- SHANGHAI CUNHONG MARINE LIFESAVING APPLIANCE CO., LTD.

B. Manufacturer(s) of MES(Marine Evacuation System)
- SHANGHAI YOULONG RUBBER PRODUCTS CO., LTD.

C. Manufacturer(s) of Lifeboats, Rescue boats, Launching appliances, Release gear / Type
* The service supplier has been certified or licensed to perform maintenance, thorough examination, operational testing, overhaul and repair for the particular makes and models of equipment in accordance with Res.MSC 402(96).

- Jiangsu Jiaoyan Marine Equipment Co.,Ltd. (Formerly: Jiangyin Xinjiang F.R.P Co., Ltd.) /
Free Fall lifeboat :
JY-FN-4.9, JY-FF-4.9, JY-FN-5.8, JY-FF-5.8
JYM-FN-6.65, JYM-FF-6.65, JY-FN-6.8, JY-FF-6.8
JY-FN-7.5, JY-FF-7.5, JY-FN-8.5, JY-FF-8.5, JY-FN9.5, JY-FF-9.5
Rescue boat : GJ4.2, GJ4.25, GJ4.5, GJ5.0, GJ5.25, GJ6.0B-1, GJ6.10, GJ7.50, GJ8.0Q-2, GJ8.5Q-2
Totally enclosed lifeboat :
JY-QFP/N-5.0, JY-QFP/N-5.25, JY-QFP/N-6.0A, JY-QFP/N-6.50
JY-QFP/N-7.0, JY-QFP/N-7.5, JY-QFP/N-7.50A, JY-QFP/N-8.00
JY-QFP/N-8.50, JY-QFP/N-8.50X, JY-QFP/N-9.35, JY-QFP/N-10.90A
Hook : JX and JXN Series
Gravity luffing arm type davit : JYL52, JYL55, JYL65, JYL85, JYL105, JYL135
Launching appliance : JYF55, JYF75, JYF90
Platform Davit : JYP65, JYP85, JYP105, JYP135
Single arm davit : JYR21, JYR21S-A/JYRC21, JYR14, JYRH14, JYRH21/JYR23/JYR26/JYR30/JYR23
Electric Boat Winch: FW45/JYW42/JYW50/JYW70/JYW100/JYWP70/JYWP100/JYWP135/JYW35/ JYRZ21

- JIANGYINSHI BEIHAI LSA CO., LTD. /
BOAT: SERIES OF SC, JYB
HOOK: SERIES OF JYBHK, HK
DAVIT: SERIES OF
SMRF, BGF,GLR,BHSA,LBS,SM,SAC,SA,FA,LB,LA,BHGH,PD,FRH,EHRD,SRH,BHGP,RB,HB,HDC,ESAD
WINCH: SERIES OF D,DW,HW,JYBW,FFW,BHEW

Endorse

APPENDIX I

No. : HDOLS-0073-26

- FASSMER SERVICE GMBH AND CO. KG /
Davit launched totally enclosed lifeboat :
GMR 5.9/6.5/7.4/8.3, TGMR 5.9/6.5/7.4/8.3, CLR-C 5.9/6.4/6.8/7.2/7.6/8.1/8.5,
CLR-T 5.9/6.4/6.8/7.2/7.6/8.1/8.5,
CL-C 8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2,
CL-T 8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2,
CLX (R)8.5/10.0/11.7/12.8
Freefall Lifeboat :
CFL 4.9/-T4.9, GAR6.0/-T6.0/6.8/-T6.8/6.7/-T6.7/7.4/-T7.4/8.1/-T8.1/7.7/-T7.7/8.5/-T8.5, CFL-C66/72/77/83, CFL-T66/72/77/83
Partially enclosed Lifeboats :
CL-P 5.9/6.4/6.8/7.2/7.6/8.1/8.5/8.9/9.4/9.8/10.2/10.7/11.1/11.5/11.9/12.4/12.8/13.2, SEL8.15/8.8/9.6/10.5/10.55/11.80/12.5/15.75, SEL-R 8.15, SEL-T 10.75
Partially enclosed Lifeboats - Tenderboat :
TL Limo 1100, SEL-T 11.0/11.7/12.3/14.0/14.7/15.75, PLL 1099, PLT-EVO 170
Partially enclosed lifeboats, Tenderboat and rescue boat : SEL-RT 7.7/7.5/8.5
Partially enclosed Life-and Crew Tenderboat : SEL 11.0 (-T)
Partially enclosed Life-/Rescue-/Work-/Tenderboat : SEL-R 7.4/8.5
Navy RHIB : SFB 10.1
Rigid Rescue boat : RR 4.2/4.2-M/4.5ID/6.2ID/
Rigid Inflatable Rescue boat : RIR 625ID
Fast Rigid Rescue boat :
FR (I)R6.1/6.1ID, FRR 6.2 ID/6.5ID-SF/6.6ID/7.0ID-SF/7.0, FRIR 6.25
Freefall Lifeboat Release Mechanism : FFRU 6.6
Offload rescue boat hook : FOH 27/30/70
On load release gear :
Duplex 25E2/2.5E/50E2/5.0E/60E2/6.6E/10E/140E2/14E/17E/180E2/230E2/23E/260E,
2.5T/5.0T/10T/14T/17T/23T
Fassmer Hydraulic Davit : FHD 80/100/120/130/150/170/172/280/450
Hinged Davit : FHDY 100
Freefall Davit : FFH 45/65
Pivot davit : FPD 55/60/100/80/120/150/170, FFD D60
Freefall Davit : FFH 49/50/60/66/70/72/75/77/80/83/85/90
Freefall ramp : FLR49/66/8005/8006/8007
Multi Pivot Davit : FMPD 100/130/150/160
Outrigger davit :
FOD 100/120/130/150/170/190/40R/50/55/80/LBC 300/SAR40/-R22/-R23/-R25/-R40/TC450
Rescue Boat Davit : FOSV 71, FSAH 22
Rescue Boat Crane: FSAH 28/32, FSAR12/3.5, FSAR14/2.9, FSAR21/4.0, FSAR21/4.5, FSAR22/4.5,

Endorse

APPENDIX I

No. : HDOLS-0073-26

FSAR28/40,
Rescue Boat / Liferaft Crane : FSARR 14/3.5, FSARR21/3.8, FSARR21/4.0, FSARR21/4.3, FSARR22/4.0
FRC crane : PRHE 30
Fassmer Winch : DEW 40/85/2000
Fassmer Winch/rescue boat crane : DEW 8, FWD 40RB, DEW150
Fassmer Freefall Winch : FFWH

- Zhejiang Norsier Lifesaving Equipment Technology Co., Ltd. /
Lifeboats/Rescue Boats : NYF & NYC Series, NYPF & NYPC Series, NYZ Series
Davits : NLB Series, NSA Series, NHCD Series, SRH Series, NFH Series, NAZ Series, NPD Series
Winches : N Series
Release Mechanism : NHK Series

- FASSMER-MARLAND LTD (ex.Hai Hong Boat Making Co., Ltd.(Guangzhou) /
Davit launched totally enclosed lifeboat : DRAGON 26C/ 26T/32C/32T/38C/38T, DRAGON 26C-M/ 26T-M/32C-M/32T-M/38C-M/38T-M, GMR 6.5/-T6.5/7.4/-T7.4, HH57C/57T/65C/65T/70C/70T, CLR-C5.9/T5.9/CLR-C8.5, CLR-T8.5
Freefall lifeboat : GAR 6.7/-T6.7/7.4/-T7.4,
CFL-C49(E)/T49(E)/C66(E)/T66(E)/C72(E)/T72(E)/C77(E)/T77(E)/C83(E)/T83(E)
Rigid rescue boat : RR4.2/4.2-M, RRH4.2, RR4.2 ID
Fast rigid rescue boat : FRR6.1ID/6.2ID
On load release gear : Duplex 2.5/2.5E/25E2/5.0/5.0E/50E2, HH43,
Freefall lifeboat release mechanism FM53/Single Type5.1
Pivot davit : FPD-D52/D60/D68/DH68, SRH50/70
Freefall davit : FFH49/49D/49W/66/66D/72/77/83
Freefall ramp : FLR49/66/72
Rescue boat crane : FSAR 14/3.5HS/4.0/3.5HS/21/4.0HS/, FSARR 14/3.5HS/21/4.0HS/22/4.0HS, FMAH 22KN, FSAR 25/25D/25W/21/40W
Winch for pivot davit : DEW 15-24/15-35/15-44, D52L/R, DW34S/Z, MW50/50C
Winch for freefall davit : FW35
Winch for rescue boat crane : DEW 150/450, RZ25, DZA20

* HAI HONG BOAT MAKING CO., LTD.(GUANGZHOU)
Davit launched totally enclosed lifeboat: HH57C/T, HH65C/T, HH70C/T
Onload Release Gear: HH43

- JIANGYIN WOLONG F.R.P /
Totally Enclosed Lifeboat: JY50C/F, JY50CA/FA, JY57C/F, JY60C/E/F, JY65C/F, JY70C/F, JY80C/F, JY80CA/FA, JY85C/F, JY85CA/FA, JY85CB/FB, JY93C/F, JY102/F, JY117C/F

Endorse

APPENDIX I

No. : HDOLS-0073-26

Free Fall Lifeboat: JY49CF/FF, JY59CF/FF, JY67CF/FF, JY85CF/FF, JY109CF/FF
Rescue Boat: JY40KR, JY42KR, JY45DR, JY45KR, JY50R, JY54KR, JY60KR, JY65KR, JY75KR, JY85KR
Partially Enclosed Lifeboat: JY70P, JY80P, JY85P
Open Type Lifeboat: JY45KR, JY55K, JY65K, JY70K, JY75K, JY80K,JY85K
Gravity Luffing Arm Type Davit: JY-LE14, JY-LE65, JY-LE85, JY-LE100, JY-LE150
Launching Appliance of Free-Fall Lifeboat: JY-FH55, JY-FH70, JY-FH90, JY-FH155
Platform Davit: JY-PL70, JY-PL110, JY-PL150, JY-PL185, JY-PL215
Single Arm Boat/ Raft Davit: JY-SAF21, JY-SAF23, JY-SA23S, JY-SA37S, JY-SR33S, JY-SAF33, JY-HSR23/16, JYˇHSR33/23, JY-FCR2066, JY-FCR2305
Rescue Boat Davit: JY-PLR21, JY-LFR27, JY-LRHE18, JY-LRHE30, JY-LRUE70, JY-LFR35, JY-SAP14, JY-SAP30
Gravity Overhead Rolling Type Davit: JY-HE70, JY-HE95, JY-HE120, JY-HE155
Telescopic Boom Type Davit: JY-TBD120, JY-TBD215, JY-TBD35
Hydraulic Luffing Arm Type Davit: JY-GYE70, JY-GYE120, JY-GYE185
Connecting Rod Type Davit: JY-GL70, JY-GL95, JY-GL120, JY-GL185
Winch: JY-SAP14, JY-D23Z, JY-D23/16Z, JY-SAFC23, JY-D33/23Z, JY-SAF33, JYD35Z, JY-LRHE30, JY-PLR21,JY-LFR27, JY-LRHE70, JY-D50S/Z, JY-D70S/Z, JY-D85S/Z, JY-D110S/Z, JY-W125S, JY-DP110S/Z, JY-DP150/Z, JY-DP185, JY-DP215
Release Mechanism of Lifeboat/Rescue Boat: HK40, HK40A, HK50B, HK50A, FHK70, HK70, HK115, LB60MR, LB80MR, LB120MR, FHK80, FHK90, LB35MRS, LB70MRS

- VANGUARDE /
LIFEBOAT & RESCUE BOAT: VG, VG-FF/FC, VG/JY, KR, DB, DRS, DR4, HLB, HLBLR, FRK, FRW
HOOK (LRRS): C-SAFE / SPEARHEAD / HK /SHF
DAVIT: LVD, LE, PL, A, PLR, PRH, SRH, LR, VAE, VAH, VL, VL-G, VS, VF, HSD, FH, MSD
WINCH: DW, DW/D, DW/S, SLR, DWP, HSD, HW, PRH, VW, VWL, VW/S, VW/Z

- QINGDAO BEIHAI BOATBUILDING CO., LTD. /
Lifeboat Total enclosed: BH-5,5A,5S,5SA,E500,E585,6,6A,6S,E670,7,8,9,10 series
Lifeboat Freefall: BH-F6.0,F7.0A,F7.8,F8.1,F5.8,F6.8,F660,F670,F750,F900A
Rescue: BH-R4,R4S,R4SA,R5S,HR650
Davit Gravity Pivot: BD-PV50,PV60,PV60S,PV85,PV125
Davit Freefall launching: BD-FF55,55A,55R,FF80,80A,80R,80B,FF65/66/67,FF85
Davit Single arm: BD-SA14,14A,14B,SA21,21A,SA23,SA30,30A,SA33,SH23
Winch: BW-H(L/R)31,50,63,75 ; L(L/R)75,125 ; SC14 ; 21 ; 30, YSB20-120
Release Mechanism Gravity Lifeboat : BG-3,3L,BG-7 ; BH-HOOK3,HOOK5,FS5,FS7
Release Mechanism Freefall Lifeboat : BG-3.5F,4F,4.5F,4.5FL,5F,6F
Release Mechanism Rescue boat : BG-2R,15KNXS,25KNXS,35KNXS

Endorse

APPENDIX I

No. : HDOLS-0073-26

Endorse

APPENDIX I

No. : HDOLS-0073-26

Company :

Address :

Tel :

Fax :

E-mail :

Country :

City :

KR-Branch :